



LINE DATA

/ CAYENNE6

DE Information Leinendaten


Grundsätzlich wird für Gleitschirmchecks und Leinenvermessungen empfohlen, ein von skywalk zertifiziertes Checkcenter aufzusuchen. Nur dann kann garantiert werden, dass die Überprüfung nach Herstellervorgaben erfolgt.

Da das Klima, die Belastung sowie die Handhabung einen erheblichen Einfluss auf die Alterung des Gleitschirms haben, dienen die bereitgestellten Daten als Hilfestellung, ersetzen aber keineswegs einen fachkundigen Check. Des Weiteren ist es äußerst schwierig, ohne Vorkenntnisse eine verlässliche und reproduzierbare Gleitschirmvermessung durchzuführen.

EN Information line data

For paraglider inspections and line measurements, it is recommended to visit a check center certified by skywalk. This is the only way to guarantee that the inspection is carried out according to the manufacturer's specifications.

Because the climate, the load, and the handling have considerable influence on the aging of the paraglider, the data provided serves as an aid, but in no way replaces an expert inspection. Furthermore, it is extremely difficult to perform a reliable and reproducible paraglider measurement without prior experience.




DE Anweisung Leinenvermessung Gesamtleinenlänge

- Die Vermessung der Gesamtleinenlängen erfolgt inklusive Tragegurte und bis zum Untersegel.
- Leinen werden grundsätzlich unter einer Last von 5daN gemessen.
- Bei Motortragegurten erfolgt die Messung ohne betätigten Trimmer bzw. bei vollständig geschlossenem Trimmer, sprich alle Leinenschlösser befinden sich auf selber Höhe.
- Der Bolzendurchmesser für die Vermessung beträgt 8mm.
- Die Bremsleine wird vom Knoten am Bremsgriff bis zur obersten Gallerieleine (ohne Raffsystem) gemessen.

EN Instructions for line measurement total line length

- The measurement of the total line lengths is done including risers and up to the lower sail.
- Lines should always be measured under a load of 5daN.
- In the case of risers for powered paragliders, the measurement is carried out without the trimmer activated or with the trimmer fully closed, i.e. all line shackles are at the same height.
- The pin diameter for the measurement is 8mm.
- The brake line is measured from the knot at the brake handle to the end of the top line (without gathering system).



Size XXS

A	Nom
a1	7300
a2	7247
a3	7211
a4	7218
a5	7146
a6	7088
a7	7042
a8	7034
a9	6903
a10	6848
a11	6840
a12	6773
a13	6731
a14	6721

B	Nom
b1	7230
b2	7176
b3	7141
b4	7148
b5	7083
b6	7027
b7	6981
b8	6975
b9	6843
b10	6789
b11	6781
b12	6694
b13	6655
b14	6644

C	Nom
c1	7349
c2	7295
c3	7259
c4	7265
c5	7196
c6	7137
c7	7076
c8	7061
c9	6902
c10	6843
c11	6828
c12	6717
c13	6673
c14	6660

S	Nom
s1	6489
s2	6450
s3	6469
s4	6401
s5	6377
s6	6404
s7	6365
s8	6334
s9	6367

BRAKE	Nom
br1	7924
br2	7641
br3	7406
br4	7220
br5	7155
br6	7084
br7	6841
br8	6716
br9	6730
br10	6592
br11	6444
br12	6345
br13	6250
br14	6273

Size XS

A	Nom
a1	7532
a2	7478
a3	7443
a4	7451
a5	7379
a6	7318
a7	7271
a8	7264
a9	7128
a10	7071
a11	7062
a12	6993
a13	6950
a14	6940

B	Nom
b1	7471
b2	7416
b3	7379
b4	7387
b5	7319
b6	7262
b7	7214
b8	7208
b9	7067
b10	7012
b11	7004
b12	6914
b13	6874
b14	6862

C	Nom
c1	7579
c2	7524
c3	7488
c4	7494
c5	7424
c6	7363
c7	7300
c8	7286
c9	7127
c10	7066
c11	7051
c12	6938
c13	6893
c14	6879

S	Nom
s1	6691
s2	6652
s3	6671
s4	6601
s5	6576
s6	6604
s7	6563
s8	6532
s9	6565

BRAKE	Nom
br1	8187
br2	7895
br3	7657
br4	7464
br5	7398
br6	7325
br7	7076
br8	6948
br9	6963
br10	6823
br11	6671
br12	6570
br13	6474
br14	6497

Size S

A	Nom
a1	7785
a2	7730
a3	7695
a4	7703
a5	7630
a6	7568
a7	7520
a8	7513
a9	7373
a10	7314
a11	7306
a12	7235
a13	7190
a14	7180

B	Nom
b1	7721
b2	7665
b3	7630
b4	7639
b5	7569
b6	7510
b7	7461
b8	7456
b9	7311
b10	7254
b11	7246
b12	7155
b13	7113
b14	7102

C	Nom
c1	7833
c2	7777
c3	7741
c4	7748
c5	7677
c6	7615
c7	7551
c8	7536
c9	7373
c10	7311
c11	7295
c12	7179
c13	7133
c14	7118

S	Nom
s1	6923
s2	6883
s3	6903
s4	6830
s5	6805
s6	6834
s7	6791
s8	6759
s9	6794

BRAKE	Nom
br1	8447
br2	8146
br3	7904
br4	7705
br5	7639
br6	7564
br7	7310
br8	7180
br9	7196
br10	7054
br11	6897
br12	6794
br13	6696
br14	6719

Size M

A	Nom
a1	8095
a2	8038
a3	8003
a4	8013
a5	7936
a6	7873
a7	7824
a8	7816
a9	7672
a10	7611
a11	7602
a12	7528
a13	7481
a14	7471

B	Nom
b1	8029
b2	7972
b3	7936
b4	7946
b5	7874
b6	7813
b7	7764
b8	7758
b9	7608
b10	7550
b11	7541
b12	7447
b13	7404
b14	7392

C	Nom
c1	8144
c2	8087
c3	8051
c4	8059
c5	7986
c6	7922
c7	7856
c8	7841
c9	7672
c10	7607
c11	7591
c12	7473
c13	7425
c14	7410

S	Nom
s1	7204
s2	7163
s3	7185
s4	7107
s5	7082
s6	7113
s7	7067
s8	7034
s9	7071

BRAKE	Nom
br1	8794
br2	8482
br3	8235
br4	8028
br5	7960
br6	7882
br7	7622
br8	7489
br9	7506
br10	7361
br11	7198
br12	7094
br13	6994
br14	7017

Size L

A	Nom
a1	8251
a2	8194
a3	8159
a4	8170
a5	8092
a6	8028
a7	7978
a8	7971
a9	7823
a10	7761
a11	7752
a12	7676
a13	7629
a14	7618

B	Nom
b1	8174
b2	8116
b3	8081
b4	8091
b5	8025
b6	7963
b7	7912
b8	7907
b9	7759
b10	7699
b11	7690
b12	7595
b13	7551
b14	7538

C	Nom
c1	8307
c2	8249
c3	8214
c4	8223
c5	8148
c6	8083
c7	8016
c8	8001
c9	7825
c10	7759
c11	7742
c12	7621
c13	7572
c14	7556

S	Nom
s1	7356
s2	7316
s3	7338
s4	7258
s5	7234
s6	7265
s7	7217
s8	7185
s9	7222

BRAKE	Nom
br1	8969
br2	8652
br3	8402
br4	8190
br5	8122
br6	8044
br7	7779
br8	7645
br9	7663
br10	7516
br11	7350
br12	7245
br13	7144
br14	7166

DE Anweisung Leinenvermessung Einzelleine

- Leinen werden grundsätzlich unter einer Last von 5daN gemessen.
- Der Bolzendurchmesser für die Einzelleinenmessung beträgt 4mm.

Leinentausch


Da sich die Leinenlängen durch Alterung und äußere Einflüsse verändern können, empfehlen wir nach einem Leinentausch, den Gleitschirm zu vermessen.

EN Instructions for line measurement singleline length

- Lines should always measured under a load of 5daN.
- The pin diameter for the single line measurement is 4mm.

Line replacement

Since the line lengths can change due to aging and external influences, we recommend to measure the paraglider after a line replacement.



Pos	XXS	XS	S	M	Material	Colour	Comment
a1	1185	1223	1261	1311	Liros DC60	natural	double spliced both sides
a2	1132	1169	1206	1254	Liros DC60	natural	double spliced both sides
a3	1132	1168	1204	1251	Liros DC60	natural	double spliced both sides
a4	1139	1176	1212	1261	Liros DC60	natural	double spliced both sides
a5	1075	1110	1144	1189	Liros DC60	natural	double spliced both sides
a6	1017	1049	1082	1126	Liros DC60	natural	double spliced both sides
a7	965	995	1026	1067	Liros DC60	natural	double spliced both sides
a8	957	988	1019	1059	Liros DC60	natural	double spliced both sides
a9	446	461	475	494	Liros DC35	white	double spliced both sides
a10	391	404	416	433	Liros DC35	white	double spliced both sides
a11	383	395	408	424	Liros DC35	white	double spliced both sides
a12	386	398	411	427	Liros DC35	white	double spliced both sides
a13	344	355	366	380	Liros DC35	white	double spliced both sides
a14	334	345	356	370	Liros DC35	white	double spliced both sides
A1	1998	2060	2123	2207	Edelrid U8000-90	natural	double spliced both sides
A2	1962	2026	2090	2175	Edelrid U8000-90	natural	double spliced both sides
A3	1730	1785	1840	1912	Edelrid U8000-90	natural	double spliced both sides
A4	1736	1792	1848	1922	Edelrid U8000-90	natural	double spliced both sides
A5	1381	1425	1469	1527	Edelrid U8000-50	natural	double spliced both sides
A6	1311	1353	1395	1450	Edelrid U8000-50	natural	double spliced both sides
AI	3600	3732	3864	4040	PPSLS180	red	Loop Cover top side
AII	3824	3967	4109	4298	PPSLS180	red	Loop Cover top side
AIII	4555	4721	4888	5110	PPSLS125	red	Loop Cover top side
b1	1176	1214	1251	1301	Liros DC60	natural	double spliced both sides
b2	1122	1159	1195	1244	Liros DC60	natural	double spliced both sides
b3	1123	1158	1194	1241	Liros DC60	natural	double spliced both sides
b4	1130	1166	1203	1251	Liros DC60	natural	double spliced both sides
b5	1066	1100	1134	1179	Liros DC60	natural	double spliced both sides
b6	1010	1043	1075	1118	Liros DC60	natural	double spliced both sides
b7	955	985	1015	1056	Liros DC60	natural	double spliced both sides
b8	949	979	1010	1050	Liros DC60	natural	double spliced both sides
b9	441	455	469	487	Liros DC35	white	double spliced both sides
b10	387	400	412	429	Liros DC35	white	double spliced both sides
b11	379	392	404	420	Liros DC35	white	double spliced both sides
b12	373	385	397	413	Liros DC35	white	double spliced both sides
b13	334	345	355	370	Liros DC35	white	double spliced both sides
b14	323	333	344	358	Liros DC35	white	double spliced both sides
B1	1981	2044	2106	2189	Edelrid U8000-90	natural	double spliced both sides
B2	1945	2008	2072	2156	Edelrid U8000-90	natural	double spliced both sides
B3	1713	1768	1822	1894	Edelrid U8000-90	natural	double spliced both sides
B4	1722	1778	1833	1907	Edelrid U8000-90	natural	double spliced both sides
B5	1356	1399	1442	1500	Edelrid U8000-50	natural	double spliced both sides
B6	1275	1316	1358	1413	Edelrid U8000-50	natural	double spliced both sides
BI	3496	3627	3758	3933	PPSLS180	yellow	Loop Cover top side
BII	3727	3869	4011	4199	PPSLS180	yellow	Loop Cover top side
BIII	4465	4632	4799	5020	PPSLS125	yellow	Loop Cover top side

Pos	XXS	XS	S	M	Material	Colour	Comment
c1	1193	1231	1269	1319	Liros DC60	natural	double spliced both sides
c2	1139	1176	1213	1262	Liros DC60	natural	double spliced both sides
c3	1140	1176	1212	1260	Liros DC60	natural	double spliced both sides
c4	1146	1182	1219	1268	Liros DC60	natural	double spliced both sides
c5	1082	1117	1151	1197	Liros DC60	natural	double spliced both sides
c6	1023	1056	1089	1133	Liros DC60	natural	double spliced both sides
c7	971	1001	1032	1073	Liros DC60	natural	double spliced both sides
c8	956	987	1017	1058	Liros DC60	natural	double spliced both sides
c9	448	462	476	495	Liros DC35	white	double spliced both sides
c10	389	401	414	430	Liros DC35	white	double spliced both sides
c11	374	386	398	414	Liros DC35	white	double spliced both sides
c12	376	388	400	416	Liros DC35	white	double spliced both sides
c13	332	343	354	368	Liros DC35	white	double spliced both sides
c14	319	329	339	353	Liros DC35	white	double spliced both sides
C1	2011	2075	2138	2222	Edelrid U8000-90	natural	double spliced both sides
C2	1974	2039	2103	2188	Edelrid U8000-90	natural	double spliced both sides
C3	1743	1798	1853	1926	Edelrid U8000-90	natural	double spliced both sides
C4	1734	1790	1846	1920	Edelrid U8000-90	natural	double spliced both sides
C5	1363	1406	1450	1507	Edelrid U8000-50	natural	double spliced both sides
C6	1250	1291	1332	1387	Edelrid U8000-50	natural	double spliced both sides
CI	3637	3770	3903	4080	PPSLS180	blue	Loop Cover top side *
CII	3863	4006	4150	4340	PPSLS180	blue	Loop Cover top side *
CIII	4579	4747	4915	5138	PPSLS125	blue	Loop Cover top side *
s1	350	361	372	387	Liros DC35	white	double spliced both sides
s2	338	349	360	374	Liros DC35	white	double spliced both sides
s3	345	356	367	382	Liros DC35	white	double spliced both sides
s4	262	271	279	290	Liros DC35	white	double spliced both sides
s5	265	273	282	293	Liros DC35	white	double spliced both sides
s6	280	289	298	310	Liros DC35	white	double spliced both sides
s7	226	233	240	250	Liros DC35	white	double spliced both sides
s8	222	229	236	245	Liros DC35	white	double spliced both sides
s9	243	250	258	268	Liros DC35	white	double spliced both sides
S1	919	948	977	1015	Edelrid U8000-50	natural	double spliced both sides
S2	360	372	383	399	Edelrid U8000-50	natural	double spliced both sides
S3	372	384	396	413	Edelrid U8000-50	natural	double spliced both sides
SM1	537	554	571	593	Edelrid U8000-50	natural	double spliced both sides
SI	4637	4809	4981	5209	PPSLS125	orange	*

* Please make a double loop on the riser shackle



Pos	XXS	XS	S	M	Material	Colour	Comment
br1	1221	1254	1287	1330	Liros DC35	white	
br2	938	962	986	1018	Liros DC35	white	
br3	703	724	744	771	Liros DC35	white	
br4	649	666	682	705	Liros DC35	white	
br5	584	600	616	637	Liros DC35	white	
br6	814	837	859	889	Liros DC35	white	
br7	571	588	605	629	Liros DC35	white	
br8	580	598	616	640	Liros DC35	white	
br9	594	613	632	657	Liros DC35	white	
br10	547	564	582	605	Liros DC35	white	
br11	399	412	425	442	Liros DC35	white	
br12	547	564	581	604	Liros DC35	white	
br13	452	468	483	504	Liros DC35	white	
br14	475	491	506	527	Liros DC35	white	
BR1	1344	1387	1429	1485	Edelrid U8000-50	natural	double spliced both sides
BR2	1212	1252	1292	1344	Edelrid U8000-50	natural	double spliced both sides
BR3	855	882	909	944	Edelrid U8000-50	natural	double spliced both sides
BR4	721	744	768	800	Edelrid U8000-50	natural	double spliced both sides
BR5	761	785	809	840	Edelrid U8000-50	natural	double spliced both sides
BR6	514	532	550	574	Edelrid U8000-50	natural	double spliced both sides
BRI	3013	3108	3202	3328	Edelrid U8000-70	natural	double spliced both sides
BRII	3069	3168	3267	3398	Edelrid U8000-70	natural	double spliced both sides
BRIII	2938	3036	3134	3265	Edelrid U8000-70	natural	double spliced both sides
Brmain1	1135	1227	1318	1440	Edelrid U8000-130	natural	double spliced both sides
BRmain	1240	1240	1240	1240	DFLP200/32	orange	Please add 20cm extra

Pos	L	Material	Colour	Comment
a1	1336	Liros DC60	natural	double spliced both sides
a2	1279	Liros DC60	natural	double spliced both sides
a3	1275	Liros DC60	natural	double spliced both sides
a4	1286	Liros DC60	natural	double spliced both sides
a5	1212	Liros DC60	natural	double spliced both sides
a6	1148	Liros DC60	natural	double spliced both sides
a7	1087	Liros DC60	natural	double spliced both sides
a8	1080	Liros DC60	natural	double spliced both sides
a9	503	Liros DC35	white	double spliced both sides
a10	441	Liros DC35	white	double spliced both sides
a11	432	Liros DC35	white	double spliced both sides
a12	435	Liros DC35	white	double spliced both sides
a13	388	Liros DC35	white	double spliced both sides
a14	377	Liros DC35	white	double spliced both sides
A1	2249	Edelrid U8000-130	natural	double spliced both sides
A2	2218	Edelrid U8000-130	natural	double spliced both sides
A3	1949	Edelrid U8000-130	natural	double spliced both sides
A4	1960	Edelrid U8000-130	natural	double spliced both sides
A5	1557	Edelrid U8000-90	natural	double spliced both sides
A6	1478	Edelrid U8000-90	natural	double spliced both sides
AI	4129	PPSL275	red	Loop Cover top side
AII	4394	PPSL200	red	Loop Cover top side
AIII	5222	PPSL160	red	Loop Cover top side
b1	1326	Liros DC60	natural	double spliced both sides
b2	1268	Liros DC60	natural	double spliced both sides
b3	1265	Liros DC60	natural	double spliced both sides
b4	1275	Liros DC60	natural	double spliced both sides
b5	1202	Liros DC60	natural	double spliced both sides
b6	1140	Liros DC60	natural	double spliced both sides
b7	1076	Liros DC60	natural	double spliced both sides
b8	1071	Liros DC60	natural	double spliced both sides
b9	497	Liros DC35	white	double spliced both sides
b10	437	Liros DC35	white	double spliced both sides
b11	428	Liros DC35	white	double spliced both sides
b12	421	Liros DC35	white	double spliced both sides
b13	377	Liros DC35	white	double spliced both sides
b14	364	Liros DC35	white	double spliced both sides
B1	2230	Edelrid U8000-130	natural	double spliced both sides
B2	2198	Edelrid U8000-130	natural	double spliced both sides
B3	1931	Edelrid U8000-130	natural	double spliced both sides
B4	1944	Edelrid U8000-130	natural	double spliced both sides
B5	1529	Edelrid U8000-90	natural	double spliced both sides
B6	1441	Edelrid U8000-90	natural	double spliced both sides
BI	4021	PPSL275	yellow	Loop Cover top side
BII	4295	PPSL200	yellow	Loop Cover top side
BIII	5132	PPSL160	yellow	Loop Cover top side

Pos	L	Material	Colour	Comment
c1	1345	Liros DC60	natural	double spliced both sides
c2	1287	Liros DC60	natural	double spliced both sides
c3	1284	Liros DC60	natural	double spliced both sides
c4	1293	Liros DC60	natural	double spliced both sides
c5	1220	Liros DC60	natural	double spliced both sides
c6	1155	Liros DC60	natural	double spliced both sides
c7	1094	Liros DC60	natural	double spliced both sides
c8	1079	Liros DC60	natural	double spliced both sides
c9	505	Liros DC35	white	double spliced both sides
c10	439	Liros DC35	white	double spliced both sides
c11	422	Liros DC35	white	double spliced both sides
c12	424	Liros DC35	white	double spliced both sides
c13	375	Liros DC35	white	double spliced both sides
c14	359	Liros DC35	white	double spliced both sides
C1	2264	Edelrid U8000-130	natural	double spliced both sides
C2	2232	Edelrid U8000-130	natural	double spliced both sides
C3	1964	Edelrid U8000-130	natural	double spliced both sides
C4	1958	Edelrid U8000-130	natural	double spliced both sides
C5	1537	Edelrid U8000-90	natural	double spliced both sides
C6	1414	Edelrid U8000-90	natural	double spliced both sides
CI	4170	PPSL180	blue	Loop Cover top side *
CII	4436	PPSL180	blue	Loop Cover top side *
CIII	5251	PPSL160	blue	Loop Cover top side *
s1	394	Liros DC35	white	double spliced both sides
s2	381	Liros DC35	white	double spliced both sides
s3	389	Liros DC35	white	double spliced both sides
s4	296	Liros DC35	white	double spliced both sides
s5	299	Liros DC35	white	double spliced both sides
s6	316	Liros DC35	white	double spliced both sides
s7	255	Liros DC35	white	double spliced both sides
s8	250	Liros DC35	white	double spliced both sides
s9	273	Liros DC35	white	double spliced both sides
S1	1034	Edelrid U8000-50	natural	double spliced both sides
S2	407	Edelrid U8000-50	natural	double spliced both sides
S3	421	Edelrid U8000-50	natural	double spliced both sides
SM1	605	Edelrid U8000-50	natural	double spliced both sides
SI	5325	PPSL125	orange	*

* Please make a double loop on the riser shackle



Pos	L	Material	Colour	Comment
br1	1352	Liros DC35	white	
br2	1035	Liros DC35	white	
br3	785	Liros DC35	white	
br4	716	Liros DC35	white	
br5	648	Liros DC35	white	
br6	905	Liros DC35	white	
br7	640	Liros DC35	white	
br8	652	Liros DC35	white	
br9	670	Liros DC35	white	
br10	617	Liros DC35	white	
br11	451	Liros DC35	white	
br12	616	Liros DC35	white	
br13	515	Liros DC35	white	
br14	537	Liros DC35	white	
BR1	1514	Edelrid U8000-50	natural	double spliced both sides
BR2	1371	Edelrid U8000-50	natural	double spliced both sides
BR3	962	Edelrid U8000-50	natural	double spliced both sides
BR4	816	Edelrid U8000-50	natural	double spliced both sides
BR5	856	Edelrid U8000-50	natural	double spliced both sides
BR6	586	Edelrid U8000-50	natural	double spliced both sides
BR1	3391	Edelrid U8000-70	natural	double spliced both sides
BR1I	3465	Edelrid U8000-70	natural	double spliced both sides
BR1II	3331	Edelrid U8000-70	natural	double spliced both sides
BRmain1	1501	Edelrid U8000-130	natural	double spliced both sides
BRmain	1240	DFLP200/32	orange	Please add 20cm extra