



LINE DATA

/CHILI6

DE Information Leinendaten



Grundsätzlich wird für Gleitschirmchecks und Leinenvermessungen empfohlen, ein von skywalk zertifiziertes Checkcenter aufzusuchen. Nur dann kann garantiert werden, dass die Überprüfung nach Herstellervorgaben erfolgt.

Da das Klima, die Belastung sowie die Handhabung einen erheblichen Einfluss auf die Alterung des Gleitschirms haben, dienen die bereitgestellten Daten als Hilfestellung, ersetzen aber keineswegs einen fachkundigen Check. Des Weiteren ist es äußerst schwierig, ohne Vorkenntnisse eine verlässliche und reproduzierbare Gleitschirmvermessung durchzuführen.

EN Information line data

For paraglider inspections and line measurements, it is recommended to visit a check center certified by skywalk. This is the only way to guarantee that the inspection is carried out according to the manufacturer's specifications.

Because the climate, the load, and the handling have considerable influence on the aging of the paraglider, the data provided serves as an aid, but in no way replaces an expert inspection. Furthermore, it is extremely difficult to perform a reliable and reproducible paraglider measurement without prior experience.




LARKSHEAD

DE Anweisung Leinenvermessung Gesamtleinenlänge

- Die Vermessung der Gesamtleinenlängen erfolgt inklusive Tragegurte und bis zum Untersegel.
- Leinen werden grundsätzlich unter einer Last von 5daN gemessen.
- Bei Motortragedgurten erfolgt die Messung ohne betätigten Trimmer bzw. bei vollständig geschlossenem Trimmer, sprich alle Leinenschlösser befinden sich auf selber Höhe.
- Der Bolzendurchmesser für die Vermessung beträgt 8mm.
- Die Bremsleine wird vom Knoten am Bremsgriff bis zum Untersegel (inkl. Raffsystem) gemessen.

EN Instructions for line measurement total line length

- The measurement of the total line lengths is done including risers and up to the lower sail.
- Lines should always be measured under a load of 5daN.
- In the case of risers for powered paragliders, the measurement is carried out without the trimmer activated or with the trimmer fully closed, i.e. all line shackles are at the same height.
- The pin diameter for the measurement is 8mm.
- The brake line is measured from the knot at the brake handle to the lower sail (incl. gathering system).



Size 75

A	Nom
a1	6530
a2	6504
a3	6473
a4	6486
a5	6423
a6	6404
a7	6358
a8	6370
a9	6249
a10	6159
a11	6041
a12	6000
a13a	5840
a14	5779
a13b	5815
a14a	5780
a14b	5846

B	Nom
b1	6459
b2	6428
b3	6400
b4	6414
b5	6364
b6	6341
b7	6303
b8	6315
b9a	6246
b10a	6129
b11a	6028
b12a	6035
b9b	6323
b10b	6203
b11b	6072
b12b	6067

C	Nom
c1a	6563
c2a	6494
c3a	6484
c4a	6504
c5a	6484
c6a	6415
c7a	6397
c8a	6424
c1b	6642
c2b	6588
c3b	6584
c4b	6594
c5b	6586
c6b	6513
c7a	6481
c8b	6492

BRAKE	Nom
br1	6807
br2	6536
br3	6358
br4	6302
br5	6229
br6	6085
br7	6016
br8	6011
br9	5905
br10	5803
br11	5766
br12	5774

Size 85

A	Nom
a1	6771
a2	6745
a3	6713
a4	6728
a5	6664
a6	6643
a7	6597
a8	6609
a9	6485
a10	6391
a11	6271
a12	6228
a13a	6062
a14	6000
a13b	6041
a14a	6000
a14b	6069

B	Nom
b1	6699
b2	6667
b3	6640
b4	6655
b5	6602
b6	6578
b7	6540
b8	6554
b9a	6489
b10a	6369
b11a	6263
b12a	6270
b9b	6570
b10b	6445
b11b	6310
b12b	6305

C	Nom
c1a	6805
c2a	6735
c3a	6726
c4a	6747
c5a	6729
c6a	6658
c7a	6640
c8a	6668
c1b	6889
c2b	6833
c3b	6830
c4b	6841
c5b	6834
c6b	6759
c7a	6727
c8b	6739

BRAKE	Nom
br1	7080
br2	6799
br3	6615
br4	6558
br5	6482
br6	6334
br7	6263
br8	6259
br9	6149
br10	6044
br11	6005
br12	6015

Size 95

A	Nom
a1	7065
a2	7038
a3	7007
a4	7023
a5	6957
a6	6936
a7	6888
a8	6902
a9	6779
a10	6680
a11	6554
a12	6509
a13a	6334
a14	6269
a13b	6318
a14a	6270
a14b	6350

B	Nom
b1	6992
b2	6960
b3	6932
b4	6948
b5	6895
b6	6871
b7	6832
b8	6846
b9a	6782
b10a	6656
b11a	6548
b12a	6555
b9b	6842
b10b	6721
b11b	6591
b12b	6595

C	Nom
c1a	7100
c2a	7029
c3a	7020
c4a	7042
c5a	7031
c6a	6958
c7a	6939
c8a	6969
c1b	7199
c2b	7131
c3b	7128
c4b	7141
c5b	7139
c6b	7062
c7a	7025
c8b	7041

BRAKE	Nom
br1	7392
br2	7102
br3	6911
br4	6852
br5	6773
br6	6620
br7	6547
br8	6543
br9	6430
br10	6321
br11	6281
br12	6291

Size 105

A	Nom
a1	7307
a2	7280
a3	7249
a4	7266
a5	7197
a6	7175
a7	7128
a8	7143
a9	7017
a10	6915
a11	6786
a12	6739
a13a	6557
a14	6491
a13b	6541
a14a	6492
a14b	6574

B	Nom
b1	7234
b2	7201
b3	7173
b4	7191
b5	7138
b6	7113
b7	7073
b8	7089
b9a	7022
b10a	6892
b11a	6787
b12a	6795
b9b	7085
b10b	6960
b11b	6838
b12b	6842

C	Nom
c1a	7346
c2a	7272
c3a	7264
c4a	7288
c5a	7277
c6a	7201
c7a	7183
c8a	7214
c1b	7448
c2b	7379
c3b	7377
c4b	7391
c5b	7389
c6b	7310
c7a	7272
c8b	7289

BRAKE	Nom
br1	7663
br2	7363
br3	7166
br4	7106
br5	7025
br6	6867
br7	6792
br8	6789
br9	6671
br10	6559
br11	6519
br12	6530

Size 115

A	Nom
a1	7544
a2	7516
a3	7487
a4	7503
a5	7443
a6	7420
a7	7369
a8	7383
a9	7247
a10	7141
a11	7009
a12	6961
a13a	6774
a14	6706
a13b	6757
a14a	6706
a14b	6791

B	Nom
b1	7467
b2	7434
b3	7406
b4	7424
b5	7372
b6	7346
b7	7307
b8	7323
b9a	7255
b10a	7120
b11a	7012
b12a	7020
b9b	7320
b10b	7191
b11b	7065
b12b	7069

C	Nom
c1a	7586
c2a	7511
c3a	7503
c4a	7528
c5a	7516
c6a	7437
c7a	7418
c8a	7450
c1b	7693
c2b	7623
c3b	7620
c4b	7635
c5b	7631
c6b	7551
c7a	7511
c8b	7530

BRAKE	Nom
br1	7939
br2	7629
br3	7426
br4	7365
br5	7281
br6	7118
br7	7041
br8	7038
br9	6918
br10	6803
br11	6762
br12	6774

Size 125+

A	Nom
a1	7796
a2	7768
a3	7739
a4	7756
a5	7694
a6	7672
a7	7619
a8	7634
a9	7493
a10	7385
a11	7249
a12	7200
a13a	7007
a14	6936
a13b	6989
a14a	6936
a14b	7023

B	Nom
b1	7380
b2	7341
b3	7322
b4	7307
b5	7284
b6	7246
b7	7154
b8	7134
b9a	7505
b10a	7366
b11a	7246
b12a	7253
b9b	7573
b10b	7440
b11b	7293
b12b	7297

C	Nom
c1a	7842
c2a	7765
c3a	7758
c4a	7784
c5a	7772
c6a	7692
c7a	7672
c8a	7705
c1b	7954
c2b	7879
c3b	7880
c4b	7896
c5b	7892
c6b	7809
c7a	7770
c8b	7788

BRAKE	Nom
br1	8200
br2	7880
br3	7672
br4	7609
br5	7523
br6	7355
br7	7276
br8	7274
br9	7150
br10	7032
br11	6988
br12	7001

DE Anweisung Leinenvermessung Einzelleine

- Leinen werden grundsätzlich unter einer Last von 5daN gemessen.
- Der Bolzendurchmesser für die Einzelleinenmessung beträgt 4mm.

Leinentausch


Da sich die Leinenlängen durch Alterung und äußere Einflüsse verändern können, empfehlen wir nach einem Leinentausch, den Gleitschirm zu vermessen.

EN Instructions for line measurement singleline length

- Lines should always measured under a load of 5daN.
- The pin diameter for the single line measurement is 4mm.


Line replacement

Since the line lengths can change due to aging and external influences, we recommend to measure the paraglider after a line replacement.




Pos	75	85	95	105	Material	Colour	Comment
a1	291	302	314	324	8001U-070	Magenta	double spliced both sides
a2	265	275	287	297	8001U-070	Magenta	double spliced both sides
a3	265	274	285	295	8001U-050	Magenta	double spliced both sides
a4	279	290	301	312	8001U-070	Magenta	double spliced both sides
a5	266	276	287	297	8001U-070	Magenta	double spliced both sides
a6	246	255	266	275	8001U-050	Magenta	double spliced both sides
a7	237	245	254	263	8001U-050	Magenta	double spliced both sides
a8	248	257	268	278	8001U-050	Magenta	double spliced both sides
a9	738	765	798	826	8001U-050	Magenta	double spliced both sides
a10	647	671	699	723	8001U-050	Magenta	double spliced both sides
a11	902	936	976	1011	8001U-050	Magenta	double spliced both sides
a12	861	892	931	964	8001U-050	Magenta	double spliced both sides
am1	1983	2056	2136	2210	8001U-130	Magenta	double spliced both sides
am2	1952	2024	2106	2181	8001U-130	Magenta	double spliced both sides
am3	1871	1939	2014	2083	8001U-090	Magenta	double spliced both sides
am4	1835	1902	1978	2047	8001U-090	Magenta	double spliced both sides
am5	1502	1557	1622	1679	8001U-090	Magenta	double spliced both sides
am6	1129	1172	1218	1262	8001U-090	Magenta	double spliced both sides
as1	3715	3873	4049	4212	8001U-230	Magenta	double spliced top side/Loopcover bottom side
as2	3744	3907	4088	4255	8001U-230	Magenta	double spliced top side/Loopcover bottom side
as3	3465	3619	3790	3948	8001U-190	Magenta	double spliced top side/Loopcover bottom side
b1	314	326	339	351	8001U-050	Natural	double spliced both sides
b2	283	294	307	318	8001U-050	Natural	double spliced both sides
b3	286	297	309	319	8001U-050	Natural	double spliced both sides
b4	300	312	325	337	8001U-050	Natural	double spliced both sides
b5	287	298	310	321	8001U-050	Natural	double spliced both sides
b6	265	275	287	297	8001U-050	Natural	double spliced both sides
b7	256	265	276	286	8001U-050	Natural	double spliced both sides
b8	268	279	290	301	8001U-050	Natural	double spliced both sides
bmu1	847	878	925	958	8001U-090	Natural	double spliced both sides
bmu2	770	799	829	865	8001U-090	Natural	double spliced both sides
bm1	1841	1908	1983	2052	8001U-090	Natural	double spliced both sides
bm2	1810	1877	1953	2022	8001U-090	Natural	double spliced both sides
bm3	1657	1718	1785	1847	8001U-090	Natural	double spliced both sides
bm4	1628	1689	1757	1818	8001U-090	Natural	double spliced both sides
bs1	3760	3922	4101	4268	8001U-190	Natural	double spliced top side/Loopcover bottom side yellow
bs2	3876	4042	4231	4406	8001U-190	Natural	double spliced top side/Loopcover bottom side yellow
bs3	4251	4439	4648	4837	8001U-130	Natural	double spliced top side/Loopcover bottom side yellow
b9a	624	647	659	683	8001U-050	Natural	double spliced both sides
b10a	507	527	533	552	8001U-050	Natural	double spliced both sides
b11a	483	501	522	541	8001U-050	Natural	double spliced both sides
b12a	489	508	529	548	8001U-050	Natural	double spliced both sides
b9b	701	728	719	746	8001U-050	Natural	double spliced both sides
b10b	581	603	598	620	8001U-050	Natural	double spliced both sides
b11b	526	547	564	591	8001U-050	Natural	double spliced both sides
b12b	521	542	568	595	8001U-050	Natural	double spliced both side

*



Pos	75	85	95	105	Material	Colour	Comment
c1a	1000	1037	1078	1116	8001U-050	Blue	double spliced both sides
c2a	932	967	1007	1042	8001U-050	Blue	double spliced both sides
c3a	802	832	866	896	8001U-050	Blue	double spliced both sides
c4a	822	853	888	920	8001U-050	Blue	double spliced both sides
c5a	782	812	844	874	8001U-050	Blue	double spliced both sides
c6a	712	740	770	797	8001U-050	Blue	double spliced both sides
c7a	730	758	788	816	8001U-050	Blue	double spliced both sides
c8a	757	786	818	847	8001U-050	Blue	double spliced both sides
cm1	1423	1475	1534	1586	8001U-090	Blue	double spliced both sides
cm2	1543	1601	1666	1724	8001U-090	Blue	double spliced both sides
cm3	1037	1075	1118	1156	8001U-090	Blue	double spliced both sides
cm4	1002	1040	1081	1119	8001U-090	Blue	double spliced both sides
cs1	3616	3770	3940	4100	8001U-130	Blue	double spliced top side/Loopcover bottom side
cs2	4142	4319	4521	4704	8001U-130	Blue	double spliced top side/Loopcover bottom side
c1b	1080	1121	1177	1218	8001U-050	Blue	double spliced both sides
c2b	1025	1064	1109	1149	8001U-050	Blue	double spliced both sides
c3b	901	935	974	1009	8001U-050	Blue	double spliced both sides
c4b	911	946	987	1023	8001U-050	Blue	double spliced both sides
c5b	883	916	951	986	8001U-050	Blue	double spliced both sides
c6b	810	842	875	907	8001U-050	Blue	double spliced both sides
c7b	813	845	874	905	8001U-050	Blue	double spliced both sides
c8b	824	857	890	922	8001U-050	Blue	double spliced both sides
a13a	537	557	580	600	8001U-050	Orange	double spliced both sides
a14	999	1037	1079	1117	8001U-050	Orange	double spliced both sides
amu1	526	546	567	587	8001U-050	Orange	double spliced both sides
a13b	513	536	564	584	8001U-050	Orange	double spliced both sides
bm5	3759	3942	4145	4330	8001U-090	Orange	double spliced both sides
b14a	1000	1037	1079	1118	8001U-050	Orange	double spliced both sides
b14b	1066	1106	1159	1200	8001U-050	Orange	double spliced both sides
bs4	502	502	502	505	PPSL120	Orange	Loopcover bottom side

*




Pos	75	85	95	105	Material	Colour	Comment
br1	1065	1105	1149	1190	8001U-050	Orange	
br2	791	821	856	887	8001U-050	Orange	
br3	766	795	827	856	8001U-050	Orange	
br4	710	738	768	796	8001U-050	Orange	
br5	804	834	868	899	8001U-050	Orange	
br6	660	686	715	741	8001U-050	Orange	
br7	713	739	769	796	8001U-050	Orange	
br8	708	735	765	793	8001U-050	Orange	
br9	760	789	821	850	8001U-050	Orange	
br10	658	684	712	738	8001U-050	Orange	
br11	602	624	650	673	8001U-050	Orange	
br12	610	634	660	684	8001U-050	Orange	
brmu1	1162	1205	1253	1296	8001U-050	Orange	
brmu2	1002	1040	1084	1123	8001U-050	Orange	
brmu3	1045	1083	1126	1165	8001U-050	Orange	
brmu4	923	959	999	1035	8001U-050	Orange	
brmu5	946	981	1021	1056	8001U-050	Orange	
brmu6	965	1002	1043	1081	8001U-050	Orange	
brm1	2372	2458	2554	2641	8001U-070	Orange	
brm2	2122	2203	2293	2375	8001U-070	Orange	
brm3	1941	2017	2102	2179	8001U-070	Orange	
brsu1	1016	1120	1239	1344	PPSL120	Orange	
brs1	1200	1200	1200	1200	DFLP200/32	Orange	add extra 20cm

Pos	115	125+	Material	Colour	Comment
a1	336	347	8001U-090	Magenta	double spliced both sides
a2	308	318	8001U-090	Magenta	double spliced both sides
a3	307	316	8001U-070	Magenta	double spliced both sides
a4	323	334	8001U-090	Magenta	double spliced both sides
a5	307	317	8001U-070	Magenta	double spliced both sides
a6	284	294	8001U-050	Magenta	double spliced both sides
a7	273	282	8001U-050	Magenta	double spliced both sides
a8	287	297	8001U-050	Magenta	double spliced both sides
a9	852	881	8001U-050	Magenta	double spliced both sides
a10	747	773	8001U-050	Magenta	double spliced both sides
a11	1044	1079	8001U-050	Magenta	double spliced both sides
a12	996	1030	8001U-050	Magenta	double spliced both sides
am1	2282	2358	8001U-190	Magenta	double spliced both sides
am2	2254	2330	8001U-190	Magenta	double spliced both sides
am3	2160	2232	8001U-130	Magenta	double spliced both sides
am4	2120	2191	8001U-130	Magenta	double spliced both sides
am5	1731	1789	8001U-090	Magenta	double spliced both sides
am6	1301	1345	8001U-090	Magenta	double spliced both sides
as1	4367	4534	8001U-280	Magenta	double spliced top side/Loopcover bottom side
as2	4415	4585	8001U-280	Magenta	double spliced top side/Loopcover bottom side
as3	4098	4259	8001U-190	Magenta	double spliced top side/Loopcover bottom side
b1	363	375	8001U-050	Natural	double spliced both sides
b2	329	340	8001U-050	Natural	double spliced both sides
b3	330	341	8001U-050	Natural	double spliced both sides
b4	348	360	8001U-050	Natural	double spliced both sides
b5	332	343	8001U-050	Natural	double spliced both sides
b6	306	317	8001U-050	Natural	double spliced both sides
b7	295	304	8001U-050	Natural	double spliced both sides
b8	311	321	8001U-050	Natural	double spliced both sides
bmu1	989	1022	8001U-090	Natural	double spliced both sides
bmu2	893	914	8001U-090	Natural	double spliced both sides
bm1	2115	2185	8001U-090	Natural	double spliced both sides
bm2	2087	2158	8001U-090	Natural	double spliced both sides
bm3	1905	1970	8001U-090	Natural	double spliced both sides
bm4	1878	1941	8001U-090	Natural	double spliced both sides
bs1	4425	4595	8001U-230	Natural	double spliced top side/Loopcover bottom side yellow
bs2	4570	4748	8001U-190	Natural	double spliced top side/Loopcover bottom side yellow
bs3	5015	5210	8001U-130	Natural	double spliced top side/Loopcover bottom side yellow
b9a	705	729	8001U-050	Natural	double spliced both sides
b10a	570	590	8001U-050	Natural	double spliced both sides
b11a	559	578	8001U-050	Natural	double spliced both sides
b12a	566	585	8001U-050	Natural	double spliced both sides
b9b	771	797	8001U-050	Natural	double spliced both sides
b10b	642	664	8001U-050	Natural	double spliced both sides
b11b	611	625	8001U-050	Natural	double spliced both sides
b12b	615	629	8001U-050	Natural	double spliced both side

*

*



Pos	115	125+	Material	Colour	Comment
c1a	1151	1190	8001U-050	Blue	double spliced both sides
c2a	1076	1113	8001U-050	Blue	double spliced both sides
c3a	925	956	8001U-050	Blue	double spliced both sides
c4a	950	983	8001U-050	Blue	double spliced both sides
c5a	903	933	8001U-050	Blue	double spliced both sides
c6a	823	852	8001U-050	Blue	double spliced both sides
c7a	842	871	8001U-050	Blue	double spliced both sides
c8a	874	904	8001U-050	Blue	double spliced both sides
cm1	1638	1692	8001U-090	Blue	double spliced both sides
cm2	1781	1841	8001U-090	Blue	double spliced both sides
cm3	1193	1232	8001U-090	Blue	double spliced both sides
cm4	1155	1194	8001U-090	Blue	double spliced both sides
cs1	4253	4417	8001U-190	Blue	double spliced top side/Loopcover bottom side
cs2	4876	5063	8001U-130	Blue	double spliced top side/Loopcover bottom side
c1b	1258	1301	8001U-050	Blue	double spliced both sides
c2b	1187	1226	8001U-050	Blue	double spliced both sides
c3b	1042	1078	8001U-050	Blue	double spliced both sides
c4b	1057	1094	8001U-050	Blue	double spliced both sides
c5b	1018	1053	8001U-050	Blue	double spliced both sides
c6b	937	969	8001U-050	Blue	double spliced both sides
c7b	935	968	8001U-050	Blue	double spliced both sides
c8b	953	987	8001U-050	Blue	double spliced both sides
a13a	620	641	8001U-050	Orange	double spliced both sides
a14	1154	1193	8001U-050	Orange	double spliced both sides
amu1	606	627	8001U-050	Orange	double spliced both sides
a13b	603	623	8001U-050	Orange	double spliced both sides
bm5	4507	4702	8001U-090	Orange	double spliced both sides
b14a	1154	1193	8001U-050	Orange	double spliced both sides
b14b	1239	1280	8001U-050	Orange	double spliced both sides
bs4	505	501	PPSL120	Orange	Loopcover bottom side



Pos	115	125+	Material	Colour	Comment
br1	1229	1271	8001U-050	Orange	
br2	916	948	8001U-050	Orange	
br3	884	914	8001U-050	Orange	
br4	823	851	8001U-050	Orange	
br5	929	961	8001U-050	Orange	
br6	766	793	8001U-050	Orange	
br7	822	850	8001U-050	Orange	
br8	819	848	8001U-050	Orange	
br9	878	908	8001U-050	Orange	
br10	763	790	8001U-050	Orange	
br11	695	718	8001U-050	Orange	
br12	707	731	8001U-050	Orange	
brmu1	1338	1382	8001U-050	Orange	
brmu2	1160	1201	8001U-050	Orange	
brmu3	1203	1243	8001U-050	Orange	
brmu4	1070	1107	8001U-050	Orange	
brmu5	1090	1127	8001U-050	Orange	
brmu6	1117	1155	8001U-050	Orange	
brm1	2725	2814	8001U-070	Orange	
brm2	2452	2536	8001U-070	Orange	
brm3	2253	2332	8001U-070	Orange	
brsu1	1455	1541	PPSL120	Orange	
brs1	1200	1200	DFLP200/32	Orange	add extra 20cm